



BRITISH WATER



Code of Practice

A Guide for Users of Sewage Treatment Systems

Use liquid detergents for clothes washing and for dishwashers



Don't put disposable nappies and baby wipes down the toilet




Don't vary the brands of household cleaners and washing detergent



Don't over flush the toilet, use water saving flush if it's fitted



Don't pour fat or grease down the toilet, sink or drains





A Guide for Users of Sewage Treatment Systems

Contents

- 1. Scope
- 2. Introduction
- 3. What is sewage
- 4. Owners' responsibilities
- 5. Do's and Don'ts
- 6. Use of cleaning products
 - a. Laundry detergents
 - b. Dishwasher products
 - c. Other cleaning products
- 7. Impact of other domestic equipment
 - a. Water softeners
 - b. Waste disposal units
- 8. Banned products
- 9. Health and Safety
- 10. Health warning – Leptospirosis

Please note: *The environmental regulators the Environment Agency, the Environment and Heritage Service (Northern Ireland) and the Scottish Environment Protection Agency support the use of this code of practice, but the Agencies do not specifically endorse any particular manufacturer's product.*

1. Scope

To provide background and general information for owners and users of small sewage or wastewater treatment systems to ensure that they work satisfactorily to treat domestic wastewater (sewage) so that the treated effluent meets the regulators requirements and so can be safely discharged to the environment.


2. Introduction

When taking a bath, using the washing machine or flushing the toilet few people stop to consider what happens to the wastewater and sewage. It simply goes down the drain or waste pipe and is no longer of any concern. But if the drains lead to a small wastewater treatment system then it is worth understanding what happens next to the sewage. If not then there is a risk that the safe and efficient operation of the treatment plant could be reduced with the risk of polluting the local environment and even facing possible prosecution as a result.

3. What is sewage?

Sewage is made up not of just the organic waste from toilets but also the chemicals and waste water from everyday activities such as washing, cleaning, cooking and washing clothes and dishes. The sewage from bathrooms, kitchens and toilets collects in a series of drains and flows into a sewer. In most households or commercial premises the sewage flows away through the sewers and is treated at a large-scale sewage treatment works, however, connection to a sewer is not always possible.

For houses and premises in remote or isolated locations where no mains drainage is available other options, such as cesspools or septic tanks, have traditionally been used but now the use of a package sewage treatment plant is increasingly preferred. Cesspools do not "treat" the sewage in any way and have to be emptied regularly. Although septic tanks provide some partial treatment of the sewage the final effluent needs to be discharged through a network of special drains called a drainage field in which treatment of the sewage continues. It is vital a sufficient area of land is available, that ground conditions (permeability, groundwater level, etc) are suitable so that waterlogging does not occur and that the site is away from watercourses and sources of drinking water and dwellings. Where these requirements are not met and if there are other regulatory restrictions, and this is increasingly so, then a package sewage treatment plant is the appropriate option.



Don't have a "washing day"



A correctly designed and installed package treatment plant will be able to meet the stringent standards now being set by the regulations. The Environmental Regulators Pollution Prevention Guidelines 4 provides comprehensive advice.

The owner of any non-mains sewage treatment system will require a “discharge permit” (EA) or “authorisation” (SEPA) or “consent to discharge” (NIEA) from the local environmental regulator before the system can be installed. The environmental regulators are for England and Wales the Environment Agency (EA, formerly called the National Rivers Authority), for Scotland the Scottish Environment Protection Agency (SEPA) and for Northern Ireland the Northern Ireland Environment Agency (NIEA).

4. Owners’ responsibilities

Users of treatment systems have a responsibility under the relevant water related legislation to ensure that the systems meet the standards set by the regulators. A correctly designed and installed system will provide a final effluent for discharging that meets these requirements. Once the system is commissioned and operating efficiently the environmental regulator may sample the discharge from the system to check that it meets the agreed standards. The environmental regulator also has the right to review and vary the discharge requirements that it sets. It is therefore essential to regularly maintain and service the system to make sure it is running efficiently.

There are many straight forward actions that the user can take to ensure that the system gives a satisfactory performance in treating the sewage and safely discharging the treated effluent to the environment. This code of practice offers a simple and practical guide to help achieve just that.

5. Do’s and Don’ts

Do:

- ✓ **think** before putting anything down the sink, toilet or drains
- ✓ **tell** guests/visitors/staff that the drains do not flow into mains drainage but into a specialist sewage treatment system and tell them how to avoid harming it
- ✓ **read the label** and use the **manufacturers’ recommended doses** for all household cleaning products
- ✓ **use** cleaning products little and often so the system isn’t overloaded
- ✓ **spread** clothes washing throughout the week
- ✓ **use** the same washing and dishwasher detergents and other cleaning products as being consistent will help the bacteria in the system to work more efficiently, if the products in the sewage do not vary widely the bacteria can adapt to remove a wide range of products but as this can take a while the operation of the treatment system will be more consistent if the variability of the sewage is minimised
- ✓ **use** liquid cleaners for clothes washing and for dishwashers

- ✓ **separately dispose** of sanitary towels, tampons, disposable nappies, baby wipes, cotton wool, incontinence pads, etc. and not down the toilet
- ✓ **take out** a maintenance and service contract

Don’t:

- ✗ **spring** clean and use large amounts of cleaners and chemicals in one day
- ✗ **have** a “washing day” – spread the washing throughout the week
- ✗ **use** household bleach and other strong chemicals indiscriminately
- ✗ **keep** changing the brands of household cleaners and washing powders
- ✗ **tip** bottles of medicine, mouth wash, etc. down the toilet
- ✗ **put** sanitary towels, tampons, disposable nappies, baby wipes, cotton wool, incontinence pads, etc. down the toilet
- ✗ **over** flush the toilet unnecessarily – use a water-saving flush if it’s fitted
- ✗ **pour** fat or grease from cooking or oil from the chip pan down the sink or drains
- ✗ **use** the waste disposal unit like a rubbish bin, use it sparingly if at all
- ✗ **pour** garden chemicals or car engine oil down the drains

6. Use of cleaning products

To minimise the quantity of laundry detergents and cleaning products used it will be best to find out how hard the water is. Hard water is rich in calcium and other minerals which reduce the effectiveness of soap and detergents. Water hardness is determined by measuring the amount of calcium in the water. This value can be obtained from the local water company (see reverse of Water Bill or directory for telephone number) unless you are on your own private water supply, in which case contact your water treatment equipment supplier. Water can be soft to very hard and the table below shows levels of calcium and calcium carbonate which correspond to the different levels of hardness.

| CALCIUM CARBONATE AS mg/l OR ppm | CALCIUM mg/l | DEGREES CLARK OR ENGLISH | DEGREES GERMAN | DEGREES FRENCH | DESIGNATION |
|----------------------------------|--------------|--------------------------|----------------|----------------|-----------------|
| 50 | 20 | 3.5 | 2.8 | 5 | Soft |
| 100 | 40 | 7 | 5.6 | 10 | Moderately soft |
| 200 | 80 | 14 | 11.2 | 20 | Moderately hard |
| 300 | 120 | 21 | 16.8 | 30 | Hard |
| 400 | 160 | 28 | 22.4 | 40 | Very hard |



In line with EC recommendations, all fabric washing products now carry advice on how much to use according to the water hardness. So, once the hardness of the water supply has been obtained the amount of detergent to use can be determined from the manufacturers' recommendations. If in doubt phone the manufacturer for advice – most offer a customer-care phone service.

a. Laundry detergents

It is best to minimise the amount of detergent used to limit its impact on the treatment system whilst ensuring that the best washing results are obtained.

- Use of washing liquids in an in-machine ball dispenser is preferred to powders. Best results are obtained from having the liquid in the heart of the wash, it is already in suspension and therefore “gets to work” quickly and none is left in the dispenser. For normal “coloured” washes try to use a washing product without added bleach. For white washes add a separate bleach formulated to minimise its environmental impact.
- Read the “instructions for use” and ensure that the correct dosage is used for the level of hardness of the water and to match the level of dirtiness of the washing. Particular care is needed with “concentrated” or “compact” liquids or powders as it is easy to accidentally use too much.
- Try to ensure that a full load is used each time or use an energy-saving “half load” programme if there is one. Don't be tempted to overload as this will not produce a good wash and could damage the machine in the longer term. A correctly loaded machine should have enough space for the liquid ball to be readily placed on top of the washing.
- Normal wash temperatures, with the occasional very hot or “boil” wash, are not a problem for the treatment plant. However, try to avoid regular or repeated very hot washes as this could raise the plant temperature and affect the bacterial process.
- The washing machine produces the largest quantity of waste water that the treatment system has to deal with in a short space of time. If possible avoid having a “wash day” as this could produce too much water for the system to cope with satisfactorily at any one time. Try to spread the washing throughout the week.
- As laundry detergents can inhibit biological treatment and so reduce the effectiveness of a treatment system it is important to keep detergent use to the minimum necessary. In some larger applications, eg nursing homes it is especially important to be aware of the amount of laundry waste as a percentage of the total normal flow, this should have influenced the sizing of the treatment system (see Design Code of Practice Flows and Loads 2). It is worth noting that discharge quality may be improved if detergents with a low environmental impact are used, eg low phosphate content.

b. Dishwasher products

The dishwasher detergent is probably the most “aggressive” cleaning product in any household. It needs to be so that it



Think before putting anything down the toilet

is effective and not only to make greasy plates sparkling and “squeaky” clean as the advertisers promise.

- **It is therefore all the more important that sewage treatment system owners are careful and only use the manufacturers' recommended dosage.** It is recommended that a liquid detergent is used, rather than a powder or tablet cleaner as the dosing can be adjusted more easily.
- Most dishwashers use a salt-based water softener – ensure that the salt dispenser is always topped up because softened water increases the efficiency of cleaning products so enabling only the minimum dosage to be used.
- Some dishwasher manufacturers now recommend that dishes, etc **are not rinsed** under the hot tap before putting it in the dishwasher. Although this is traditionally common practice dishwashers and their cleaning products are now so effective that it is unnecessary and merely wastes hot water, energy and time and unnecessarily increases the flow of wastewater to the treatment system.

c. Other cleaning products

It is most important to always follow the manufacturers' recommended dosage and instructions on all household cleaning products.

- Read the label and don't be tempted to use guesswork.
- Try to avoid using large amounts of cleaning products at any one time.
- If the dosage recommendations are followed and only small quantities are used on a regular basis they should not have any adverse effect on the treatment system.
- However, a day's spring cleaning using massive amounts of household cleaners and disinfectants indiscriminately will affect the efficiency of the system and destroy some of the bacteria. If the bacteria are harmed or killed the system will not operate properly for a while, some will survive (numbers depending on the amount of chemicals used) and grow, eventually (in days or weeks) the system will be returned to normal effectiveness.



7. Impact of other domestic equipment

a. Water softeners

To minimise the quantity of laundry detergents used it will be best to find out how hard the water is and to adjust the dosage accordingly. To help minimise the quantity of detergents used (soaps and household cleaning agents as well) – and save money – a separate water softener could be installed.

As with all equipment, when using water softeners the manufacturers’ instructions should be followed, especially as regards sizing, operation and installation. All domestic and commercial water softeners involve a salt regeneration process and salt in high concentrations can be harmful to biological treatment systems. When the softener regenerates a concentrated salt solution is used and there is a small possibility that this could affect the performance of the sewage treatment system. However, if the softening equipment is correctly sized and installed and the treatment system is designed and sized correctly, with the knowledge that a water softener will discharge into it, then there should not be a problem with the treatment system and it should perform satisfactorily.

b. Waste disposal units


Depending on how frequently they are used, they can add a considerable extra load to the treatment system from the macerated vegetable wastes and other degradable organic material. It would be preferable to compost the vegetable peelings (it is cheaper and more environmentally friendly) and dispose of non-vegetable waste via another route.

8. Chemicals and products to be avoided

At all times there should be a cautious and careful use of all substances, chemicals and cleaning products within the home and wherever drains flow into the sewage treatment system. The manufacturers’ use instructions should always be closely followed. **The following products can all significantly and adversely affect the operation and efficiency of sewage treatment systems and so putting them down the sink, toilets or drains should be avoided if at all possible:**

- external cleaning agents and disinfectants
- cooking oil or melted fat e.g. from a grill tray or chip pan
- medicines
- dairy waste
- motor oils, antifreeze or other car products
- garden chemicals such as pesticides, preservatives, weed killers or fertilisers
- DIY products such as paints, white spirit, paint thinners and other solvents, glue
- swimming pool water

This list cannot be totally comprehensive or exhaustive - just be careful and cautious before discarding any chemicals into the system - if in any doubt always responsibly dispose of it elsewhere.



Don't tip medicine, mouth wash etc. down the toilet

Where cleaning agents are used for hygienic reasons obviously follow the use instructions but if possible spread out their use so that small amounts enter the treatment system at any one time, eg clean toilets on separate days rather than all on the same day. Do select and use the most appropriate product bearing in mind the impact that it may have on the sewage treatment system and the environment. Please see note number 2.

9. Health & Safety

Before beginning any work on the plant ensure familiarity with all of the Health & Safety advice given in the Operation & Maintenance Manual. All operations and maintenance must be carried out by suitably trained and qualified personnel. In particular note the following:

- Gases given off by sewage are potentially toxic and explosive. Do not enter any below ground compartments of a sewage treatment system.
- When the lid or cover is removed from the system there is a danger of deep water and **the unit should not be left unattended**. Put up temporary barriers and warning signs around any open covers or manholes and try to keep the amount of time the cover is removed to a minimum. Remember small children may not read or understand the signs, pets certainly will not.
- The equipment **must be electrically isolated** before any maintenance work is carried out.

10. Health Warning – Leptospirosis

Two types of Leptospirosis affect people in the UK:-

- **Weil's Disease** which is a serious infection transmitted to humans by contact with soil, water or sewage which has been contaminated with urine from infected rats.
- **Hardjo-type Leptospirosis** which is transmitted from cattle to humans.

Bacteria from both diseases can enter the body through cuts and scratches and through the lining of the mouth, throat and eyes. Typical symptoms start with a flu-like illness with a persistent and severe headache, muscle pains and vomiting, jaundice appears on about the fourth day of illness.



Sensible precautions which should be taken are:

- After working with sewage or anything contaminated with sewage wash hands and forearms thoroughly with soap and water. If clothing or boots are contaminated wash thoroughly after handling them.
- Always wash any cut or scratch thoroughly and quickly before applying a plaster, bandage or other protective covering.

- **Always wash hands thoroughly** before handling food, drink, cigarettes, cigars etc.
- If after coming into contact with sewage an illness with any of the above symptoms develops **see a doctor immediately**. Be sure to tell him/her of the contact with sewage as this could be an important help to the correct diagnosis of the illness.

Please note:

1. Guidance on the selection of the most appropriate option for non-mains sewage treatment is given in the Environmental Regulators Pollution Prevention Guidelines PPG 4 which is available at:
<http://publications.environment-agency.gov.uk/pdf/PMHO0706BJGL-E-E.pdf>
2. Guidance on the discharge of chemicals to groundwater is provided in the following Code of Practice:
<http://www.defra.gov.uk/environment/water/ground/pdf/groundwater-guidance.pdf>
3. The sewage treatment system should be sized in accordance with the British Water design Code of Practice Flows and Loads 3 which can be downloaded from
http://www.britishwater.co.uk/publications/publications_and_technical_guides.aspx
4. It is advisable that a service agreement is entered into with a company with suitably qualified staff, preferably staff who are listed on the British Water list of Accredited Service Engineers which can be viewed at
http://www.britishwater.co.uk/ptp_engineers/Accredited_Service_Engineers.aspx
5. Use of the design Code of Practice and accredited service engineers is recommended in the UK Environment Agencies Pollution Prevention Guidelines Number 4 (PPG4) which is referred to above as reference 1.

Other British Water publications available at www.britishwater.co.uk are:

- A. Code of Practice: Guide to the Installation of Sewage Treatment Systems
- B. Code of Practice: Guide to Desludging Sewage Treatment Systems

Please note the following statement by British Water

Subject as stated below, no responsibility, duty of care or liability whatsoever (whether in contract or tort or otherwise including, but not limited to, negligence) is or will be accepted by British Water, its officers, employees, agents or members to any user of this guidance or any other person in connection with or in relation to this guidance.

Subject as stated below, British Water, its officers, employees, agents and members do not accept any responsibility or liability for any loss or damage caused to any person who acts or refrains from acting as a result of anything contained in or omitted from this guidance or in reliance on the provisions of or material in this guidance, whether such loss or damage is caused by negligence or otherwise.

Nothing in this disclaimer shall be construed as excluding or limiting the liability of British Water or any of its officers, employees, agents or members for death or personal injury resulting from the negligence of such persons or for fraud.

This guidance does not constitute legal, technical or other advice and it should not be regarded as such. Anyone requiring advice on any of the matters referred to in this guidance, including on how to ensure compliance with any relevant legal or regulatory requirements, should consult their legal or other appropriate professional advisers.

Nothing in this guidance is intended to be or should be construed as advice on the merits of, or a recommendation in relation to, any particular product or product provider and no representation is made that any member of British Water operates or will operate in accordance with this guidance.

Each part of this disclaimer shall be construed as a separate and severable part, and if one or more parts is held to be invalid, unlawful or otherwise unenforceable, the remaining parts shall remain in full force and effect.

